



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Raquel M. Filmanowicz
Health Operations Administrator

Health Department

Family and Community Health Services

web site: www.milwaukee.gov/health

Routine Food

MILWAUKEE COUNTY DEPT. OF PARKS, RECREATION AND CULTURE
DRETZKA GOLF CLUB HOUSE
12020 W BRADLEY RD
MILWAUKEE, WI

6/8/2010

The following list of violations of the Wisconsin Administrative Code as adopted by reference in the Milwaukee Code of Ordinances Chapter 68, and/or other City ordinance(s) must be corrected as soon as possible but not later than the date specified. A re-inspection fee may be assessed if the violation is not corrected by that date. An inspection fee may be charged for any repeat violations.

Code Number	Description of Violation	Correct By
3-603.11	According to the person-in-charge, customers are allowed to order burgers undercooked . Provide an appropriate advisory for raw or undercooked animal foods. This consumer advisory consists of 2 parts, the disclosure identifying the item(s) and the reminder (statement of the risks). Either provide the advisory or no longer serve undercooked burgers (under 155 degrees F).	6/22/2010
4-501.11	The blue plastic ice scoop stored by the ice machine is badly cracked and broken. Discard all food contact equipment that is cracked, melted, broken or otherwise uncleanable.	6/22/2010
4-501.112	The high heat sanitizing dish machine is not sanitizing the dishes. The final rinse temperature only reaches 174 degrees F. The temperature for mechanical hot water sanitizing equipment must be below 194 degrees and above 165 degrees for stationary rack, single temperature machines or 180 degrees for all other machines. Repair or adjust machine to sanitize dishes properly.	6/22/2010
4-601.11	There is a slight slime buildup noted inside the ice machine. All food contact equipment and utensils must be clean.	6/22/2010



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Raquel M. Filmanowicz
Health Operations Administrator

Health Department

Family and Community Health Services

web site: www.milwaukee.gov/health

5-202.11 The garbage disposal unit leaks and therefore all water to the 6/22/2010
prewash/handwashing sink in the back kitchen area has been turned off.
Repair the unit so that water can be restored to the handwashing sink.

Notes:
NOTE: The drawers (not in use) underneath the fryers are extremely sticky with grease. Clean these units.

On 6/8/2010, I served these orders upon MILWAUKEE COUNTY DEPT. OF PARKS, RECREATION AND CULTURE by leaving this report with

Inspector Signature (Inspector ID:4)



Operator Signature